

Certificate of Compliance

Certificate Number 20100302 - E317501
Report Reference E317501-A8-UL-1, 2010 March 1
Issue Date 2010 March 2

Page 1 of 2



Issued to: KEEN OCEAN INDUSTRIAL LTD

26TH FL, UNIT D, SHIELD INDUSTRIAL CENTRE
84-92 CHAI WAN KOK ST
TSUEN WAN, N T, HONG KONG

*This is to certify that
representative samples of*

**Power Supplies for Information Technology
Equipment Including Electrical Business Equipment**


See Addendum Page

*Have been investigated by Underwriters Laboratories Inc.® (UL) or any authorized
licensee of UL in accordance with the Standard(s) indicated on this Certificate.*

Standard(s) for Safety: UL 60950-1, 2nd Edition, Information Technology Equipment - Safety - Part 1:
General Requirements
CSA C22.2 No. 60950-1-07, 2nd Edition, Information Technology Equipment
- Safety - Part 1: General Requirements

Additional Information: See UL On-Line Certification Directory at WWW.UL.COM for additional
information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product

Issued by:

Emily Chiu, Senior Customer Service Specialist
Underwriters Laboratories Inc.

Reviewed by:

William R. Carney, Director - NA Certification Program
Underwriters Laboratories Inc.

Certificate of Compliance

Certificate Number 20100302 - E317501
Report Reference E317501-AB-UL-1, 2010 March 1
Issue Date 2010 March 2

Page 2 of 2



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Switching Adaptor:

S04-003-YYYY-ZZZZZ Series (Where YYYY can be ranged from 0050 to 0150 represent output voltage (e.g. 0050 = 5.0V); ZZZZZ can be ranged from 00010 to 00600 represent output current (e.g. 00010 = 10mA))

Input 100 - 240 Vac, 50/60 Hz, 0.10 A max.

Output : 5 - 15 Vdc, 10 - 600 mA max.

Issued by:

Emily Chiu, Senior Customer Service Specialist
Underwriters Laboratories Inc.

Reviewed by:

William R. Carney, Director - NA Certification Program
Underwriters Laboratories Inc.